



## Reporting Requirements for Negative HCV Test Results: Laboratories

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
<b>Alabama</b>	Ala. Admin. Code 420-4-1-.04; Ala. Admin. Code 420-4-1 App.I, II	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Alaska</b>	Alaska Admin. Code tit. 7, § 27.005, 007	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting positive Hepatitis C test results, laboratories must also report virologic, nucleic acid (DNA or RNA), or other viral load detection test results (both detectable and undetectable) as well as all genotype test results.
<b>Arizona</b>	Ariz. Admin. Code R9-6-202, Tbl. 2.1; Ariz. Admin. Code R9-6-204, Tbl. 2.3	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Arkansas</b>	Code Ark. R. 007.35.7-III, V <sup>1</sup>	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>California</b>	Cal. Code Regs. tit. 17, § 2500; Cal. Health &	No. Laboratories are only required to report positive Hepatitis C test results.	N/A

<sup>1</sup> Statute is currently flagged by Westlaw regarding validity, but NASTAD's legal interpretation is that this is simply due to a citation miscommunication by the Arkansas legislature.

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
	Safety Code § 121023		
<b>Colorado</b>	5 Colo. Code Regs. § 1009-1 Appendix A	Yes. In addition to reporting positive Hepatitis C test results, laboratories must also report negative confirmatory test results.	In addition to positive Hepatitis C test results, laboratories must also report negative antibody and confirmatory test results.
<b>Connecticut</b>	Conn. Agencies Regs. 19a-36-A2, A3; <a href="#">List of Laboratory Reportable Diseases</a>	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>D.C.</b>	D.C. Mun. Regs. tit. 22-B, § 201, 206, 211	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Delaware</b>	Code Del. Regs. 4202-4.0, 7.0; Code Del. Regs. 4202 Appendix I	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Florida</b>	Fla. Admin. Code Ann. r. 64D-3.029	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Georgia</b>	Ga. Code Ann. § 31-12-2; Ga. Comp. R. & Regs. 511-2-1-.02; <a href="#">List of Reportable Diseases</a>	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Hawaii</b>	Haw. Code R. 11-156 Exhibit A, B	No. Laboratories are only required to report	N/A

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
		positive Hepatitis C test results.	
<b>Idaho</b>	Idaho Admin. Code r. 16.02.10.050	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Illinois</b>	Ill. Admin. Code tit. 77, § 690.452; Ill. Admin. Code tit. 77, § 693.20, .30	Yes. In addition to positive Hepatitis C test results, laboratories must also report all tests results (both positive and negative) for anti-HCV testing by immunoassay.	In addition to reporting all results for anti-HCV testing by immunoassay, laboratories must report all results for HCV testing by polymerase chain reaction (PCR), HCV antigen testing, and HCV viral genotype testing.
<b>Indiana</b>	Ind. Code Ann. § 16-41-2-3; 410 Ind. Admin. Code 1-2.5-75, 76	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting positive Hepatitis C test results, laboratories must also report undetected Hepatitis C RNA test results.
<b>Iowa</b>	Iowa Code Ann. § 141A.6; Iowa Code Ann. § 139A.2, .3	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Kansas</b>	Kan. Stat. Ann. § 65-6002; Kan. Admin. Regs. 28-1-2	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Kentucky</b>	902 Ky. Admin. Regs. 2:020	Yes. Laboratories must submit all test results, whether positive or negative, for Hepatitis C.	Yes. Laboratories must submit all test results, whether positive or negative, for Hepatitis C.
<b>Louisiana</b>	51 La. Admin. Code Pt II, 105, 107	No. Laboratories are not required to report negative screening test	In addition to reporting positive Hepatitis C test results, laboratories are required to report

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
		results for Hepatitis C. However, laboratories are required to report all test results (positive or negative) for all components of testing indicative of Hepatitis C.	all test results (positive or negative) for all components of testing indicative of Hepatitis C.
<b>Maine</b>	Code Me. R. § 10-144 Ch. 258, App. A	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Maryland</b>	Md. Code Regs. 10.06.01.03; Md. Code Regs. 10.18.02.04, .06	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting positive Hepatitis C test results, laboratories must also report all Hepatitis C RNA results if preceded by a positive antibody result.
<b>Massachusetts</b>	105 Mass. Code Regs. 300.100, 170, 173, 180	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting all positive Hepatitis C tests results, laboratories are also required to submit all test results, including negative results, for Hepatitis C serologic and nucleic acid amplification tests.
<b>Michigan</b>	Mich. Comp. Laws Ann. § 333.5111, 14; <a href="#">List of Reportable Diseases</a>	Yes. Laboratories must submit all test results, whether positive or negative, for Hepatitis C.	In addition to reporting all screening test results for Hepatitis C, laboratories must report all tests results for Hepatitis C antibody, RNA, and genotype tests.
<b>Minnesota</b>	Minn. R. 4605.7030, 40	No. Laboratories are only required to report	In addition to reporting all positive Hepatitis C tests results, laboratories are also required to

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
		positive Hepatitis C test results.	submit all test results for HCV viral detection laboratory tests.
<b>Mississippi</b>	15 Code Miss. R. Pt. 2, Subpt. 11, R. 1.1; 15 Code Miss. R. Pt. 2, Subpt. 11, App. A, B	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Missouri</b>	Mo. Code Regs. Ann. tit. 19, § 20-20.020, .080	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Montana</b>	Mont. Admin. R. 37.114.201, .203, .204	No. Laboratories are only required to report positive Hepatitis C test results.	N/A <i>Note: DPHHS mandates reporting of both positive and negative RNA test results</i>
<b>Nebraska</b>	173 Neb. Admin. Code Ch. 1, 1-003, 1-004	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting all positive Hepatitis C test results, laboratories must report all confirmatory test [e.g., RIBA and PCR for qualitative, quantitative, and genotype testing] results, whether positive or negative.
<b>Nevada</b>	Nev. Admin. Code 441A.040, .230, .235	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>New Hampshire</b>	N.H. Code Admin. R. He-P 301.02	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>New Jersey</b>	N.J. Admin. Code § 8:57-1.5, 1.7;	No. Laboratories are only required to report	N/A

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
	N.J. Admin. Code § 8:65-2.1, 2.5	positive Hepatitis C test results.	
<b>New Mexico</b>	N.M. Admin. Code 7.4.3.13	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>New York</b>	N.Y. Comp. Codes R. & Regs. tit. 10, § 63.4; N.Y. Comp. Codes R. & Regs. tit. 10, § 2.1, 2.10, 2.12	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>North Carolina</b>	10A N.C. Admin. Code 41A.0101	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>North Dakota</b>	N.D. Admin. Code 33-06-01-01; N.D. Admin. Code 33-06-02-01	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting all positive Hepatitis C test results, laboratories must report all HCV nucleic acid test results (whether detectable or nondetectable) and genotype test results.
<b>Ohio</b>	Ohio Admin. Code 3701-3-02, 03, 04, 12	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Oklahoma</b>	Okla. Admin. Code 310:515-1-4	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting all positive Hepatitis C tests results, laboratories are also required to submit all test results for HCV RNA tests (whether positive or negative).
<b>Oregon</b>	ORS § 433.004	No. Laboratories are only required to report	N/A

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
	OAR 333-018-0015	positive Hepatitis C test results.	
<b>Pennsylvania</b>	<p>28 Pa. Code §§ 27.21a, 27.22, 27.32a</p> <hr/> <p>Philadelphia-Specific Codes: - <a href="#">HCV Reporting Requirements</a></p>	<p>No. Laboratories are only required to report positive Hepatitis C test results.</p> <hr/> <p>Philadelphia: No. Laboratories are only required to report positive Hepatitis C test results.</p>	<p>N/A</p> <hr/> <p>Philadelphia: In addition to positive test results, laboratories must also report all virologic test results – including antigen, RNA, branched DNA, genotype, and viral loads (including those with undetectable results).</p>
<b>Rhode Island</b>	<p>R.I. Gen. Laws §§ 23-6.3-14, 23-6.3-15</p> <p>216 RICR 30-05-1.4, 30-05-1.5</p>	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting all positive Hepatitis C tests results, laboratories are also required to aspartate aminotransferase (AST), alanine aminotransferase (ALT), and Bilirubin Total and Bilirubin Direct.
<b>South Carolina</b>	<p>S.C. Code Ann. § 44-29-80, 250</p> <p>S.C. Code Ann. Regs. 61-21</p> <p><a href="#">List of Reportable Diseases</a></p>	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>South Dakota</b>	<p>SDCL § 34-22-12</p> <p>ARSD 44:20:01:04</p>	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Tennessee</b>	TCA §§ 68-5-102, 68-10-112	No. Laboratories are only required to report	In addition to reporting all positive Hepatitis C test results,

<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
	<p>TN ADC 1200-6-3-.08, 1200-14-1-.02</p> <p><a href="#">TN Dept. of Health Reportable Disease List</a></p> <p><a href="#">TN Detailed Laboratory Guidance</a></p>	positive Hepatitis C test results.	laboratories must also report all nucleic acid amplification test results (both positive and negative) and all associated test results (whether positive or negative) for alanine aminotransferase (ALT) and Bilirubin levels.
<b>Texas</b>	<p>Tex. Health &amp; Safety Code § 85.086</p> <p>25 Tex. Admin. Code §§ 97.2, 97.3, 97.132, 97.133, 97.134</p>	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Utah</b>	Utah Admin. Code r. R386-702-3, 4	Yes. Laboratories (if reporting electronically) must report all screening laboratory test results for Hepatitis C (positive or negative)	In addition to reporting all screening laboratory test results for Hepatitis C, laboratories (if reporting electronically) must report all HCV viral load test results.
<b>Vermont</b>	<p>Vt. Stat. Ann. 18 § 1001</p> <p>VT ADC 12-5-12:6.0, 7.0</p>	No. Laboratories are only required to report positive Hepatitis C test results.	In addition to reporting all positive Hepatitis C test results, laboratories must also report non-detectable nucleic acid test results, including genotype.
<b>Virginia</b>	Va. Code Ann. § 32.1-36	No. Laboratories are only required to report	In addition to reporting all positive Hepatitis C test results,



<b>State</b>	<b>Authority</b>	<b>Does the state require healthcare providers to report negative HCV screening test results?</b>	<b>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</b>
	12 VAC 5-90-80, 5-90-90	positive Hepatitis C test results.	laboratories must also report all results for HCV viral load (whether detectable or undetectable), all test results for serum alanine aminotransferase (ALT), and, for patients who tested positive for HCV, all other available results from the hepatitis panel
<b>Washington</b>	RCW 70.24.050  Wash. Admin. Code 246-100-021, 246-101-101, 246-101-201	No. Laboratories are only required to report positive Hepatitis C test results. However, at least annually, laboratories are also required to report all deidentified negative HCV screening test results.	In addition to reporting all positive Hepatitis C test results, laboratories must also report all results for HCV nucleic acid detection (NAT or NAAT) for qualitative, quantitative, and genotype tests. Laboratories must also report negative test results for IgM anti-HAV and for IgM anti-HBc tests, if they are associated with a positive Hepatitis C test result.
<b>West Virginia</b>	W. Va. Code §§ 16-3C, 16-4-6  W. Va. Code St. R. §§ 64-7-3, 64-7-14, 64-64-12, 64-64-13	No. Laboratories are only required to report positive Hepatitis C test results.	N/A
<b>Wisconsin</b>	Wis. Stat. Ann. 252.01, 252.13, 252.15	No. Laboratories are only required to report positive Hepatitis C test results.	N/A

<i>State</i>	<i>Authority</i>	<i>Does the state require healthcare providers to report negative HCV screening test results?</i>	<i>Other reporting requirements for healthcare providers to report diagnostic HCV test results.</i>
	Wis. Admin. Code §§ DHS 145.04, DHS 145 App. A		
<b>Wyoming</b>	Wyo. Stat. Ann. §§ 35-4-107, 108, 130, 132  WY ADC 048.0051.2 §§ 1, 2, 3; WY ADC 048.0046.1 §§ 2, 6	No. Laboratories are only required to report positive Hepatitis C test results.	N/A

## ***Acknowledgements***

Additional funding for this initiative is provided by the Policy Innovation Exchange, which supported by the Centers for Disease Control and Prevention of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$750,000 with 100 percent funded by CDC/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by CDC/HHS, or the U.S. Government.